

**Taylor Maxwell – Hardwood Stock List (13/03/2020)**

<b>Wessex Oiled</b>							
Pack No.	Thickness	Width	Length	Grade	Pieces	Vol	FSC/PEFC
WO200-14656	20	200	2200		45	79.2	FSC Mix Credit
WO200-17655	20	200	2200		45	79.2	FSC Mix Credit
WO220-20134-5	20	220	2200		15	29.04	FSC Mix Credit
WO220-20135	20	220	2200		40	77.44	FSC Mix Credit
WO220-20136	20	220	2200		40	77.44	FSC Mix Credit

<b>Wessex Stained</b>							
Pack No.	Thickness	Width	Length	Grade	Pieces	Vol	FSC/PEFC
WC180-20150-1	20	180	2200		39	61.776	FSC Mix Credit
WC180-20152	20	180	2200		48	76.032	FSC Mix Credit

<b>Wessex Unfinished</b>							
Pack No.	Thickness	Width	Length	Grade	Pieces	Vol	FSC/PEFC
WU180-20123-1-1	20	180	2200		39	61.776	FSC Mix Credit
WU180-20124	20	180	2200		48	76.032	FSC Mix Credit
WU220-20153-2	20	220	2200		9	17.424	FSC Mix Credit
WU220-20154-1-1	20	220	2200		22	42.592	FSC Mix Credit

<b>S E American White Oak KD</b>							
Pack No.	Thickness	Width	Length	Grade	Pieces	Volume	FSC/PEFC
HW18152	4/4	10-13	13-14	Rustic	68	2.168	
HW19420	4/4	10-13	15-16	Rustic	43	1.472	
HW19256	4/4	10-16	11-12	Rustic	70	1.967	
HW18534	4/4	10-16	11-12	Rustic	103	2.857	
HW19421	4/4	10-16	13-14	Rustic	128	3.727	
HW17894	4/4	10-16	7-8	Rustic	47	0.866	
HW17684	4/4	10-16	9-10	Rustic	86	1.888	
HW19257	4/4	10-16	9-10	Rustic	95	2.194	
HW18531	4/4	10-17	11-12	Rustic	78	2.144	
HW18392	4/4	10-17	11-12	Rustic	110	2.932	
HW18984.	4/4	10-17	9-10	Rustic	111	2.533	
HW18983	4/4	10-18	11-12	Rustic	106	2.866	
HW18393	4/4	10-19	11-12	Rustic	97	2.736	
HW18394	4/4	10-19	9-10	Rustic	104	2.404	
HW18982	4/4	10-20	11-12	Rustic	111	3.045	
HW19259	4/4	10-20	7-8	Rustic	100	1.953	
HW18687	4/4	10/Wider	11-12	Rustic	82	2.262	

HW18688	4/4	10/Wider	9-10	Rustic	96	2.217	
HW19408	4/4	5	13-14	Rustic	86	1.179	
HW19543	4/4	5	13-16	Rustic	60	0.873	
HW19410	4/4	6	11-12	Rustic	162	2.274	
HW19411	4/4	6	11-12	Rustic	168	2.34	
HW18678	4/4	6	11-12	Rustic	168	2.342	
HW19414	4/4	8	11-12	Rustic	135	2.519	
HW19415	4/4	8	11-12	Rustic	65	1.205	
HW19553	4/4	8	13-14	Rustic	129	2.809	
HW19252	4/4	8	13-14	Rustic	129	2.805	
HW19254	4/4	9	11-12	Rustic	72	1.512	
HW19253	4/4	9	13-14	Rustic	104	2.557	
HW18686	4/4	9	13-14	Rustic	131	3.208	
HW18529	4/4	9	13-14	Rustic	67	1.646	
HW19418	4/4	9	13-14	Rustic	60	1.477	
HW18685	4/4	9	15-16	Rustic	34	0.951	
HW19417	4/4	9	15-16	Rustic	44	1.241	
HW18981	4/4	9	9-10	Rustic	130	2.257	
HW19255	4/4	9	9-10	Rustic	95	1.654	
HW18391	4/4	9	9-10	Rustic	132	2.288	

<b>Fresh Sawn European Oak</b>							
<b>Pack No.</b>	<b>Thickness</b>	<b>Width</b>	<b>Length</b>	<b>Grade</b>	<b>Pieces</b>	<b>Volume</b>	<b>FSC/PEFC</b>
HF19387	100	100	2500	Beams	30	0.75	PEFC 100%
HF19617	100	100	3000	Beams	60	1.8	PEFC 100%
HF19407	100	200	2400	Sleepers	40	1.92	PEFC 100%
HF17705x	100	200	2400	Sleepers	4	0.192	PEFC 70%
HF19008***	100	200	2400	Sleepers	40	1.92	PEFC 70%
HF19011***	100	200	2400	Sleepers	40	1.92	PEFC 70%
HF19012***	100	200	2400	Sleepers	40	1.92	PEFC 70%
HF19014-1	100	200	2400	Sleepers	16	0.768	PEFC 70%
HF19015	100	200	2400	Sleepers	40	1.92	PEFC 70%
HF19016	100	200	2400	Sleepers	40	1.92	PEFC 70%
HF19017	100	200	2400	Sleepers	40	1.92	PEFC 70%
HF19018	100	200	2400	Sleepers	40	1.92	PEFC 70%
HF00001	100	230	3400	Beams	2	0.156	PEFC 70%
HF18406	125	125	2100	Beams	24	0.788	PEFC 70%
HF18444	125	125	2100	Beams	15	0.492	PEFC 100%
HF18934	125	125	2100	Beams	16	0.525	PEFC 70%
HF18970	125	125	2100	Beams	30	0.984	PEFC 100%
HF18963	130	220	1800	Sleepers	30	1.544	PEFC 70%
HF18964	130	220	1800	Sleepers	30	1.544	PEFC 70%
HF18965	130	220	1800	Sleepers	15	0.772	PEFC 70%
HF19683	150	150	2400	Beams	21	1.134	PEFC 100%
HF19686	150	150	2400	Beams	21	1.134	PEFC 100%
HF19687	150	150	2400	Beams	4	0.216	PEFC 100%
HF19092-1	150	150	2400	Beams	12	0.648	PEFC 70%
HF19756	150	150	5000	Beams	21	2.363	PEFC 100%

HF19174	150	150	5500	Beams	21	2.599	PEFC 70%
HF19616-1	150	150	6000	Beams	12	1.62	PEFC 100%
HF19537-1	150	200	5600	Beams	8	1.344	PEFC 100%
HF18918	175	175	5800	Beams	11	1.954	PEFC 70%
HF19614	250	250	5000	Beams	4	1.25	PEFC 100%
HF19178	250	250	6000	Beams	2	0.75	PEFC 70%
HF19613	300	300	5000	Beams	2	0.9	PEFC 100%
HF19612	300	300	6000	Beams	2	1.08	PEFC 100%

### European Oak AD

Pack No.	Thickness	Width	Length	Grade	Pieces	Volume	FSC/PEFC
HO18690	100	200	2400	Sleepers	20	0.96	PEFC 70%
HO17779	170	170	3700	Beams	16	1.726	

### S E European Oak KD

Pack No.	Thickness	Width	Length	Grade	Pieces	Volume	FSC/PEFC
HE16865	26	100/Wider	2300	Superior	263	2.157	FSC 100%
HE18422	26	100/wider	2100-2300	Superior	239	2.456	FSC 100%
HE19582	27	160	3000	QF2/3 X	137	1.776	PEFC 70%
HE19641	27	162	2500-3000	QF 2/3 X	224	2.694	PEFC 100%
HE19128	27	162	2600-2750	QF2/3 X	224	2.694	PEFC 100%
HE19640	27	162	2650-3000	QF 2/3 X	224	2.694	PEFC 100%
HE19585	27	180	2100	QF2/3 X	110	1.123	PEFC 70%
HE19586	27	180	2100	QF2/3 X	98	1	PEFC 70%
HE19587	27	180	2100	QF2/3 X	105	1.072	PEFC 70%
HE19588	27	180	2100	QF2/3 X	130	1.327	PEFC 70%
HE19589	27	180	2100	QF2/3 X	95	0.97	PEFC 70%
HE19590	27	190	3000	QF2/3 X	99	1.524	PEFC 70%
HE19595	27	200	2400	QF2/3 X	116	1.503	PEFC 70%
HE19398	27	200	2400-2900	QF2/3 X	160	2.333	PEFC 100%
HE19642	27	200	2500-2950	QF 2/3 X	160	2.333	PEFC 100%
HE19643	27	200	2500-3000	QF 2/3 X	160	2.333	PEFC 100%
HE19644	27	215	3000-4150	QF 2/3 X	160	3.019	PEFC 100%
HE19598	27	220	2400	QF2/3 X	104	1.483	PEFC 70%
HE19645	27	255	2600-4000	QF 2/3 X	128	2.732	PEFC 100%
HE19132	27	255	2900-3100	QF2/3 X	128	2.732	PEFC 100%
HE19646	27	255	2900-4200	QF 2/3 X	128	2.82	PEFC 100%
HE19647	27	255	2900-4200	QF 2/3 X	128	2.688	PEFC 100%
HE19648	27	270	2600-3900	QF 2/3 X	104	2.199	PEFC 100%
HE19712	27	270	2950	QF 2/3 X	128	2.753	PEFC 100%
HE19713	27	300	2900	QF 2/3 X	116	2.725	PEFC 100%
HE19496	32	120/wider	2100-2300	Superior	104	1.47	FSC 100%
HE19483	40	100/wider	3000-3100	Superior	84	1.993	FSC 100%
HE19088	40	110/wider	2400	Superior	90	1.584	FSC 100%
HE19665	40	120/wider	3100-3300	Joinery	62	1.776	FSC 100%
HE19655	50	10/wider	2700-2900	Joinery	17	0.44	FSC 100%
HE19488	50	100/wider	2400-2600	Joinery	91	2.059	FSC 100%

HE19653	50	100/wider	2700-2900	Joinery	50	1.21	FSC 100%
HE19677	50	110/wider	2300	Superior	40	0.874	FSC 100%
HE19652	50	110/wider	2400-2500	Superior	85	1.54	FSC 100%
HE19654	50	110/wider	3000-3200	Joinery	11	0.307	FSC 100%
HE19678	50	110/wider	3400	Superior	47	1.507	FSC 100%
HE19656	65	100/wider	2400-2500	Superior	91	2.541	FSC 100%
HE19669	65	100/wider	2400-2600	Joinery	103	2.678	FSC 100%
HE19500	65	110/wider	3000-3100	Superior	59	2.503	FSC 100%
HE18432	80	110/wider	2100-2300	Joinery	70	2.038	FSC 100%
HE19672	80	110/wider	2400-2500	Superior	80	2.619	FSC 100%
HE19674	80	130/wider	3000-3100	Superior	23	1.11	FSC 100%

<b>Fresh Sawn Spanish Oak</b>							
<b>Pack No.</b>	<b>Thickness</b>	<b>Width</b>	<b>Length</b>	<b>Grade</b>	<b>Pieces</b>	<b>Volume</b>	<b>FSC/PEFC</b>
HF19276-1	100	200	2400	Sleepers	1	0.048	PEFC 100%
HS19324	100	200	2400	Sleepers	24	1.152	
HS19326	100	200	2400	Sleepers	24	1.152	
HS19327	100	200	2400	Sleepers	24	1.152	
HS19328	100	200	2400	Sleepers	24	1.152	
HS19329	100	200	2400	Sleepers	24	1.152	
HS19330	100	200	2400	Sleepers	24	1.152	
HS19331	100	200	2400	Sleepers	24	1.152	
HS19333	100	200	2400	Sleepers	24	1.152	
HS19334	100	200	2400	Sleepers	24	1.152	
HS19336	100	200	2400	Sleepers	24	1.152	
HS19367	100	200	2400	Sleepers	24	1.152	
HS19368	100	200	2400	Sleepers	24	1.152	
HS19369	100	200	2400	Sleepers	24	1.152	
HS19370	100	200	2400	Sleepers	24	1.152	
HS19371	100	200	2400	Sleepers	24	1.152	
HS19372	100	200	2400	Sleepers	24	1.152	
HS19373	100	200	2400	Sleepers	24	1.152	
HS19374	100	200	2400	Sleepers	24	1.152	
HS19375	100	200	2400	Sleepers	24	1.152	
HS19376	100	200	2400	Sleepers	24	1.152	
HS19377	100	200	2400	Sleepers	24	1.152	
HS19378	100	200	2400	Sleepers	24	1.152	
HS19379	100	200	2400	Sleepers	24	1.152	
HS19380	100	200	2400	Sleepers	24	1.152	
HS19381	100	200	2400	Sleepers	24	1.152	
HS19382	100	200	2400	Sleepers	24	1.152	
HS19383	100	200	2400	Sleepers	24	1.152	
HS19384	100	200	2400	Sleepers	24	1.152	
HS19385	100	200	2400	Sleepers	24	1.152	
HS19386	100	200	2400	Sleepers	24	1.152	
HS19431	100	200	2400	Sleepers	24	1.152	PEFC 100%

HS19432	100	200	2400	Sleepers	24	1.152	PEFC 100%
HS19433	100	200	2400	Sleepers	24	1.152	PEFC 100%
HS19434	100	200	2400	Sleepers	24	1.152	PEFC 100%
HS19435	100	200	2400	Sleepers	24	1.152	PEFC 100%
HS19436	100	200	2400	Sleepers	24	1.152	PEFC 100%
HS19437	100	200	2400	Sleepers	24	1.152	PEFC 100%
HS19438	100	200	2400	Sleepers	24	1.152	PEFC 100%
HS19439	100	200	2400	Sleepers	24	1.152	PEFC 100%
HS19440	100	200	2400	Sleepers	24	1.152	PEFC 100%
HS19441	100	200	2400	Sleepers	24	1.152	PEFC 100%
HS19442	100	200	2400	Sleepers	24	1.152	PEFC 100%
HS19443	100	200	2400	Sleepers	24	1.152	PEFC 100%
HS19444	100	200	2400	Sleepers	24	1.152	
HS19445	100	200	2400	Sleepers	24	1.152	
HS19446	100	200	2400	Sleepers	24	1.152	
HS19447	100	200	2400	Sleepers	24	1.152	
HS19448	100	200	2400	Sleepers	24	1.152	
HS19449	100	200	2400	Sleepers	24	1.152	
HS19450	100	200	2400	Sleepers	24	1.152	
HS19451	100	200	2400	Sleepers	24	1.152	
HS19452	100	200	2400	Sleepers	24	1.152	
HS19453	100	200	2400	Sleepers	24	1.152	
HS19454	100	200	2400	Sleepers	24	1.152	
HS19455	100	200	2400	Sleepers	24	1.152	
HS19456	100	200	2400	Sleepers	24	1.152	
HS19457	100	200	2400	Sleepers	24	1.152	
HS19458	100	200	2400	Sleepers	24	1.152	
HS19459	100	200	2400	Sleepers	24	1.152	
HS19460	100	200	2400	Sleepers	24	1.152	
HS19461	100	200	2400	Sleepers	24	1.152	
HS19462	100	200	2400	Sleepers	24	1.152	
HS19463	100	200	2400	Sleepers	24	1.152	
HS19464	100	200	2400	Sleepers	24	1.152	
HS19622	100	200	2400	NONE	24	1.152	
HS19623	100	200	2400	NONE	24	1.152	
HS19624	100	200	2400	NONE	24	1.152	
HS19625	100	200	2400	NONE	24	1.152	
HS19626	100	200	2400	NONE	24	1.152	
HS19627	100	200	2400	NONE	24	1.152	
HS19628	100	200	2400	NONE	24	1.152	
HS19629	100	200	2400	NONE	24	1.152	
HS19630	100	200	2400	NONE	24	1.152	
HS19631	100	200	2400	NONE	24	1.152	
HS19632	100	200	2400	NONE	24	1.152	
HS19633	100	200	2400	NONE	24	1.152	
HS19634	100	200	2400	NONE	24	1.152	
HS19635	100	200	2400	NONE	24	1.152	
HS19636	100	200	2400	NONE	24	1.152	
HS19637	100	200	2400	NONE	24	1.152	

HS19638	100	200	2400	NONE	24	1.152	
HS19639	100	200	2400	NONE	24	1.152	
HS19714	100	200	2400	Sleepers	24	1.152	
HS19715	100	200	2400	Sleepers	24	1.152	
HS19716	100	200	2400	Sleepers	24	1.152	
HS19717	100	200	2400	Sleepers	24	1.152	
HS19718	100	200	2400	Sleepers	24	1.152	
HS19719	100	200	2400	Sleepers	24	1.152	
HS19720	100	200	2400	Sleepers	24	1.152	
HS19721	100	200	2400	Sleepers	24	1.152	
HS19722	100	200	2400	Sleepers	24	1.152	
HS19723	100	200	2400	Sleepers	24	1.152	
HS19724	100	200	2400	Sleepers	24	1.152	
HS19725	100	200	2400	Sleepers	24	1.152	
HS19726	100	200	2400	Sleepers	24	1.152	
HS19727	100	200	2400	Sleepers	24	1.152	
HS19728	100	200	2400	Sleepers	24	1.152	
HS19729	100	200	2400	Sleepers	24	1.152	
HS19730	100	200	2400	Sleepers	24	1.152	
HS19731	100	200	2400	Sleepers	24	1.152	
HS19732	100	200	2400	Sleepers	24	1.152	
HS19733	100	200	2400	Sleepers	24	1.152	
HS19734	100	200	2400	Sleepers	24	1.152	
HS19752	100	200	2400	Sleepers	24	1.152	PEFC 100%
HS19753	100	200	2400	Sleepers	24	1.152	PEFC 100%
HS19754	100	200	2400	Sleepers	24	1.152	PEFC 100%
HS19755	100	200	2400	Sleepers	24	1.152	PEFC 100%