

TAYLOR MAXWELL

Fibre Cement Cladding

Fibre Cement Cladding

taylormaxwell.co.uk

Fibre Cement Cladding

This fibre cement cladding range has both European technical approval and CWCT testing.

Comprised of a combination of reinforcing fibres, additives, cement and water, these boards are available in standard sizes including 3050mm x 1220mm x 8mm and 2520mm x 1220mm x 8mm, along with the option to create made-to-measure alternatives for individual projects. This range of fibre cement panels hold an A2 fire rating, in accordance with **EN13501-1**.

Five colour ranges are available, with options that include subtle natural shades, and almost all RAL colours can be produced. Fibre cement panels are suitable for a new construction or refurbishment project. In the case of a renovation, fibre cement panels offer an advantage due to their reduced thickness, meaning thicker insulation layers can be applied.

Fibre cement cladding panels combine seamlessly with a number of other facade materials, including facing bricks and slate and can be installed using a variety of systems:

— Screws

Panels can be attached with screws (wooden or metal) to the support structure.

— Rivets

Panels can be attached to the metal support structure using rivets.


— Invisible mechanical fastening

Panels can be installed using an invisible mechanical fastening system, where the backs of the panels are fitted with fastening points, in which panel hooks are placed with a tension-free anchor.

The surface of fibre cement boards may show variations in tone, appearance and coloured spots/flecks which adds to natural aesthetics of the material. The porosity allows the panels appearance to change with wet weather conditions and when dried out return to the original colour/tone. Each panel is naturally unique, and it is recommended that over large projects, panels are mixed from pallets.



Victoria Court



Fibre Cement Cladding

Colour Ranges

Puro Plus

A lightly sanded facade panel with a natural fibre cement soft cloudy appearance. Panels are air-dried and have no additional coatings applied. The raw beauty of natural cement patinas with age.



Natural Grey

Decoboard Pure

The same soft cloudy appearance as Puro Plus but finished with a transparent or semi-transparent coating. Available in three shades of grey with a vibrant and natural appearance. These products require cut edges to have an edge protector applied prior to installation.



Gale




Burst



Thunder

Decoboard Classic

Fibre cement facade panels manufactured using the finest raw materials and finished with 3 coats of UV-resistant acrylic paint. A smooth finish giving a facade a timeless and modern, trendy look. Available in a range of standard colours.



White



Mid Grey



Grey



Black



Anthracite Grey



Black Grey



Quartz Grey



Copper Red

Decoboard Classic Elements



Fire



Sunrise




Sand



Forest



Water




Wood



Ornimat Essentials

Fibre cement panel fabricated to project specific sizes during the manufacturing process. These are then finished in a durable and attractive UV-resistant two-component polyurethane paint with a matte finish. Panel edges are squared and coated with the same colour finish as the visible face. Available in a range of standard colours. An approved project specific panel cutting list is required from the customer prior to ordering this product. At the beginning of the manufacturing process, panels are cut from construction board with dimensions 3085 x 1235mm or 2535 x 1235mm. The panel price includes for up to 15% based on the two standard panel sizes.



Ornimat Elements




Colormat Classic

Through coloured panels impregnated with a water-repellent, transparent protective finish. Front face is lightly sanded to create a soft matt fine line surface.



Colormat Scripto

Through coloured panels impregnated with a water-repellent, transparent protective finish. Front face is deeply sanded in one direction to create a soft matt linear finish.



Fibre Cement Cladding

Product Specifications

Product Codes		Colour Code	Product Description	Colour Name	Thickness	Directional
Panel Size 1	Panel Size 2					
3070 x 1220	2520 x 1220	N/A	Puro Plus (Squared)	Natural Grey	8mm	Yes
24053301	24053300		Puro Plus Squared			
3085 x 1235	2535 x 1235	N/A	Puro Plus (Unquared)	Natural Grey	8mm	Yes
24053303	24053302		Puro Plus Unquared			
3070 x 1220	2520 x 1220	DPU01	Decoboard Pure (Squared)	Gale	8mm	Yes
24053333	24053332		Decoboard Pure Squared			
24053335	24053334		Decoboard Pure Squared			
24053337	24053336		Decoboard Pure Squared			
3085 x 1235	2535 x 1235	DPU01	Decoboard Pure (Unquared)	Gale	8mm	Yes
24053369	24053368		Decoboard Pure Unquared			
24053371	24053370		Decoboard Pure Unquared			
24053373	24053372		Decoboard Pure Unquared			
3070 x 1220	2520 x 1220	DCL01	Decoboard (Squared)	White	8mm	No
24053305	24053304		Decoboard Classic Squared			
24053307	24053306		Decoboard Classic Squared			
24053309	24053308		Decoboard Classic Squared			
24053311	24053310		Decoboard Classic Squared			
24053313	24053312		Decoboard Classic Squared			
24053315	24053314		Decoboard Classic Squared			
24053317	24053316		Decoboard Classic Squared			
24053319	24053318		Decoboard Classic Squared			
24053321	24053320	DCLM01	Decoboard Elements Squared	Fire	8mm	No
24053323	24053322		Decoboard Elements Squared			
24053325	24053324		Decoboard Elements Squared			
24053327	24053326		Decoboard Elements Squared			
24053329	24053328		Decoboard Elements Squared			
24053331	24053330		Decoboard Elements Squared			

Product Codes		Colour Code	Product Description	Colour Name	Thickness	Directional
24053339	24053338	TBC	Decoboard Inspiration Squared <i>(Decoboard Inspiration - Start-up costs apply. Please speak to your local representative.)</i>	Bespoke RAL & NCS Colours	8mm	TBC
3085 x 1235	2535 x 1235		Decoboard (Unsquared)			
24053341	24053340	DCL01	Decoboard Classic Unsquared	White	8mm	No
24053343	24053342	DCL02	Decoboard Classic Unsquared	Mid Grey	8mm	No
24053345	24053344	DCL03	Decoboard Classic Unsquared	Grey	8mm	No
24053347	24053346	DCL04	Decoboard Classic Unsquared	Black	8mm	No
24053349	24053348	DCL05	Decoboard Classic Unsquared	Anthracite Grey	8mm	No
24053351	24053350	DCL06	Decoboard Classic Unsquared	Black Grey	8mm	No
24053353	24053352	DCL07	Decoboard Classic Unsquared	Quartz Grey	8mm	No
24053355	24053354	DCL08	Decoboard Classic Unsquared	Copper Red	8mm	No
24053357	24053356	DCLM01	Decoboard Elements Unsquared	Fire	8mm	No
24053359	24053358	DCLM02	Decoboard Elements Unsquared	Sunrise	8mm	No
24053361	24053360	DCLM03	Decoboard Elements Unsquared	Sand	8mm	No
24053363	24053362	DCLM04	Decoboard Elements Unsquared	Forest	8mm	No
24053365	24053364	DCLM05	Decoboard Elements Unsquared	Water	8mm	No
24053367	24053366	DCLM06	Decoboard Elements Unsquared	Wood	8mm	No
24053375	24053374	TBC	Decoboard Inspiration Unsquared <i>(Decoboard Inspiration - Start-up costs apply. Please speak to your local representative.)</i>	Bespoke RAL & NCS Colours	8mm	TBC
24053377			Ornimat			
24053379		EST01	Ornimat Essentials	White	8mm	No
24053381		EST02	Ornimat Essentials	Seashell	8mm	No
24053383		EST03	Ornimat Essentials	Cream	8mm	No
24053385		EST04	Ornimat Essentials	Ivory	8mm	No
24053387		EST05	Ornimat Essentials	Quartz	8mm	No
24053389		EST06	Ornimat Essentials	Steel	8mm	No
24053391		EST07	Ornimat Essentials	Grey	8mm	No
24053393		EST08	Ornimat Essentials	Stone	8mm	No
24053395		EST09	Ornimat Essentials	Jet	8mm	No
24053397		EST10	Ornimat Essentials	Shadow	8mm	No
24053399		EST11	Ornimat Essentials	Carbon	8mm	No
		EST12	Ornimat Essentials	Black	8mm	No
24053401		ELM01	Ornimat Elements	Fire	8mm	No
24053403		ELM02	Ornimat Elements	Sunrise	8mm	No
24053405		ELM03	Ornimat Elements	Sand	8mm	No
24053407		ELM04	Ornimat Elements	Forest	8mm	No
24053409		ELM05	Ornimat Elements	Water	8mm	No
24053411		ELM06	Ornimat Elements	Wood	8mm	No
24053413		TBC	Ornimat Inspiration <i>(Decoboard Inspiration - Start-up costs apply. Please speak to your local representative.)</i>	Bespoke RAL & NCS Colours	8mm	No

Product Codes		Colour Code	Product Description	Colour Name	Thickness	Directional
3050 x 1220	2500 x 1220		Colormat (Squared)			
24053415	24053414	H401	Colormat Classic Squared	Jasmine	8mm	Yes
24053417	24053416	H402	Colormat Classic Squared	Slate	8mm	Yes
24053419	24053418	H403	Colormat Classic Squared	Storm	8mm	Yes
24053421	24053420	H405	Colormat Classic Squared	Natural	8mm	Yes
24053423	24053422	H406	Colormat Classic Squared	Camel	8mm	Yes
4053425	24053424	H407	Colormat Classic Squared	Daybreak	8mm	Yes
24053427	24053426	H408	Colormat Classic Squared	Chestnut	8mm	Yes
24053429	24053428	H409	Colormat Classic Squared	Sunset	8mm	Yes
24053431	24053430	H410	Colormat Classic Squared	Earth	8mm	Yes
24053433	24053432	H411	Colormat Classic Squared	Raspberry	8mm	Yes
24053435	24053434	H412	Colormat Classic Squared	Champagne	8mm	Yes
24053439	24053438	H420	Colormat Classic Squared	Pearl	8mm	Yes
24053441	24053440	S401	Colormat Scripto Squared	Jasmine	8mm	Yes
24053443	24053442	S402	Colormat Scripto Squared	Slate	8mm	Yes
24053445	24053444	S403	Colormat Scripto Squared	Storm	8mm	Yes
24053447	24053446	S405	Colormat Scripto Squared	Natural	8mm	Yes
24053449	24053448	S406	Colormat Scripto Squared	Camel	8mm	Yes
24053451	24053450	S407	Colormat Scripto Squared	Daybreak	8mm	Yes
24053453	24053452	S408	Colormat Scripto Squared	Chestnut	8mm	Yes
24053455	24053454	S409	Colormat Scripto Squared	Sunset	8mm	Yes
24053457	24053456	S410	Colormat Scripto Squared	Earth	8mm	Yes
24053459	24053458	S411	Colormat Scripto Squared	Raspberry	8mm	Yes
24053461	24053460	S412	Colormat Scripto Squared	Champagne	8mm	Yes
24053465	24053464	S420	Colormat Scripto Squared	Pearl	8mm	Yes
24053467	24053466	T402	Colormat Touch Squared	Slate	8mm	Yes
24053469	24053468	T403	Colormat Touch Squared	Storm	8mm	Yes
24053471	24053470	T405	Colormat Touch Squared	Natural	8mm	Yes

Accessories				
24053484	NA	Protector Decoboard Pure Transparent	70ml bottle / 50m usage	
24053472	NA	Paint – Ornimat Standard & Colour RAL	250gr tin	

Terms & Conditions
<div><div>- Orders > 550m² include single load delivery to the order party's fabrication facility.</div><div>- Single orders < 550m² to the order party's fabrication facility will incur a delivery surcharge. This will be kept to a minimum and calculated on an individual basis.</div><div>- On the rare occasion panels need to be delivered directly to the end user customer/site, a location specific delivery charge will be calculated on an individual basis.</div><div>- Decoboard Pure panel products require cut edges to have an edge protector applied prior to installation. Please purchase this in addition and apply to all cut edges following cutting. Instructions for this procedure are available from Wienerberger.</div><div>- Directional panels have a sanded surface and this must be accounted for during design, optimisation and fabrication. Arrows on the panel’s protective film or rear surface indicate the direction in which they have been sanded. The sanded grain direction runs parallel with the long edges of the panel. Panels can be installed with the grain in the same direction to create a consistent appearance or in different directions to create a more random facade. This is the designer's choice.</div><div>- Ornimat panels are cut to project sizes during the manufacturing process and then coated so that the panel's decorative face and edges are colour matching (maximum panel size possible 3070 x 1220). Up to 15% wastage on standard panel sizes is inclusive in the price. Wastage >15% will be charged in addition. A signed Wienerberger SVK panel cutting and optimisation schedule is required when ordering this product. A final project price will be provided once this is complete in approximately 5 working days. Cutting and drilling fabrication services are available. Minimum order quantity 50m².</div><div>- Ornimat – it is recommended that additional panels are ordered to allow for incidents, such as damage during installation. Further small panel runs following fulfilment of the original order will incur additional charges.</div><div>- Decoboard Inspiration and Ornimat Inspiration bespoke colour finishes will be priced on a project by project basis. Bespoke colour samples will be created for sign off by the customer prior to a material order being placed. These samples typically takes 6-8 weeks to produce. Project samples may be chargeable depending upon the project circumstances at a rate to be confirmed by your local Taylor Maxwell representative. Minimum order quantity 50m².</div><div>- Customs declaration charges will be added in addition.</div></div>

*For start-up costs and lead-in times, please speak to a local Taylor Maxwell representative.

The background of the top half of the page is a photograph of a modern building's exterior. It features a grid of dark grey panels with two rectangular windows. The sky is visible in the upper left corner. A solid blue vertical bar runs along the right edge of the page. In the top left corner, there is a black rectangular box containing the company name in white text.

TAYLOR MAXWELL

For more information, samples or to speak to one of our product advisors, please call **0203 794 9377** or email enquiries@taylor.maxwell.co.uk

The latest version of this brochure in digital format is available on our website. Details provided are subject to changes. If you require further information, please contact us. Last updated May 2021.